

CLMPTO

LWB/5/30/01

- / 1. A wireless communication system, comprising:  
a pattern of cells;  
a base station; and  
one or more user stations;  
wherein said base and said user stations communicate using  
time division multiple access;  
wherein said base station is assigned a first transmission  
frequency for transmitting to a first cell in said pattern of  
cells, said first transmission frequency not being assigned to  
any base station for transmitting to any cell in said pattern of  
cells adjacent to said first cell;  
wherein each user station in said first cell is assigned a  
second transmission frequency for transmitting to said base  
station for the respective first cell, said second transmission  
frequency not being assigned to any user station in any cell in  
said pattern of cells adjacent to said first cell.
2. A wireless communication system of claim 1, wherein  
said first transmission frequency is from a first set comprised  
of a limited first predetermined number of frequencies and  
wherein said second transmission frequency is from a second set  
comprised of a limited second predetermined number of  
frequencies, whereby said first set of frequencies is different  
than said second set of frequencies.
3. The wireless communication system of claim 2, wherein  
said first predetermined number of frequencies is three and said  
second predetermined number of frequencies is three.

Art Unit: 2681

4. The wireless communication system of claim 1, wherein said base station is dynamically assigned said first transmission frequency.

5. The wireless communication system of claim 1, wherein the user stations in said first cell are dynamically assigned said second transmission frequency.

6. The wireless communication system of claim 1, wherein transmissions between said base station transmitting to said first cell and the user stations in said first cell are time division duplexed.

✓ 7. A wireless communication system, comprising:  
a pattern of cells;  
one or more base stations; and  
one or more user stations;  
wherein said base stations and said user stations communicate using time division multiple access;

wherein a base station which transmits to a first cell in said pattern of cell is assigned a first transmission frequency for transmitting to said first cell, said first transmission frequency not being assigned to any base station for transmitting to any cell in said pattern of cells adjacent to said first cell;

wherein each user station in said first cell is assigned said first transmission frequency for transmitting to said base station which transmits to said first cell;

wherein the communication between said base station which transmits to said first cell and the user stations in said first cell are time division duplexed.

Art Unit: 2681

8. The wireless communication system of claim 7, wherein a user station in said first cell transmits data communication messages which include station identification information.

9. The wireless communication system of claim 7, wherein said base station which transmits to said first cell is dynamically assigned said first transmission frequency.

10. The wireless communication system of claim 7, wherein a user station is dynamically assigned said first transmission frequency when it enters said first cell.

11. The wireless communication system of claim 7, wherein said pattern of cells comprises a repeated pattern of cells consisting essentially of a first class of cells, a second class of cells, and a third class of cells, wherein no member of said first class of cells, no member of said second class of cells is adjacent to another member of said second class of cells, and no member of said third class of cells is adjacent to another member of said third class of cells.

- ✓ 12. A wireless communication system, comprising:  
a pattern of cells;  
a base station; and  
one or more user stations;

wherein said base station is assigned a first transmission frequency for transmitting to a first cell in said pattern of cells, said first transmission frequency not being assigned to any base station for transmitting to any cell in said pattern of cells adjacent said first cell;

wherein said user stations in said first cell are assigned a second transmission frequency, said second transmission

Art Unit: 2681

frequency not assigned to any user stations in any cell in said pattern of cells adjacent said first cell;

wherein said base station is further assigned a first spread spectrum code for modulating radio communication for said first cell, and

wherein said user stations in said first cell are each assigned a second spread spectrum code for modulating radio communication from said first cell.

13. The wireless communication system of claim 12, wherein said first transmission frequency is from a first set comprised of a limited first predetermined number of frequencies and wherein said second transmission frequency is from a second set comprised of a limited second predetermined number of frequencies.

14. The wireless communication system of claim 13, whereby the frequencies of said first set of frequencies are mutually exclusive of the frequencies of said second set of frequencies.

15. The wireless communication system of claim 13, wherein said first predetermined number of frequencies is three and said second predetermined number of frequencies is three.

16. The wireless communication system of claim 12, wherein said base station is dynamically assigned said first transmission frequency.

17. The wireless communication system of claim 12, wherein a user station is dynamically assigned said second transmission frequency when it enters said first cell.

Art Unit: 2681

18. The wireless communication system of claim 12, wherein each base station servicing said pattern of cells uses said first spread spectrum code for modulating radio communication for said pattern of cells uses said second spread spectrum code for modulating radio communications from said pattern of cells.

19. (Amended) The wireless communication system of claim 12, wherein said pattern of cells comprises a repeated pattern of cells consisting essentially of a first class of cells,

a second class of cells, and a third class of cells, wherein no member of said first class of cells is adjacent to another member of said first class of cells, no member of said second class of cells is adjacent to another member of said second class of cells and no member of said third class of cells is adjacent to another member of said third class of cells.

20. The wireless communication system of claim 12, wherein said first spread spectrum code and said second spread spectrum code comprises a set of codes with minimal cross-correlation attributes.

21. A multiple user wireless communication system,  
comprising:

a plurality of cells;

a base station located in each cell;

wherein transmitters in a first cell are assigned a first code for modulating radio communication in said first cell;

whereby radio signals used in said first cell are spread across a bandwidth sufficiently wide that receivers in a second cell, said second cell being adjacent to said first cell, may

Art Unit: 2681

distinguish communication which originates in said first cell  
from communication which originates in said second cell;

whereby said first cell using said first code is not

adjacent to any other cell using said first code;

wherein said base station transmits over a first frequency;

and

wherein user stations in communication with said base  
station transmit over a second frequency different from said  
first frequency.

22. (Amended) The multiple user wireless communication system of claim 21,  
wherein said base station communicates with said user stations using time division duplexing.

✓ 23. A wireless communication system, comprising:  
a plurality of cells;  
a base station; and  
a plurality of user stations;  
wherein said base station is assigned a first transmission  
frequency for transmitting to a first cell in said plurality of  
cells, said first transmission frequency not being assigned to  
any base station for transmitting to any cell in said plurality  
of cells adjacent said first cell;

wherein said user stations in said first cell are assigned  
a second transmission frequency, said second transmission  
frequency not assigned to any user stations in any cell in said  
plurality of cells adjacent said first cell;

wherein said base station and said user stations in said  
first cell are assigned one or more distinct codes for  
modulating radio communication for said first cell.

Art Unit: 2681

24. (Amended) The wireless communication system of claim 23, wherein said base station is assigned a first set of one or more distinct spreading codes for communicating with user stations in said first cell, said first set of one or more distinct spreading codes not being assigned to any base station for communicating in any cell in said plurality of cells adjacent said first cell, and wherein said user stations in said first cell are assigned a second set of one or more distinct spreading codes, said second set of one or more distinct spreading codes not assigned to any user stations in any cell in said plurality of cells adjacent said first cell.

25. (Amended) The wireless communication system of claim 23, wherein said base station communicates with said user stations using time division duplexing.